




**BRAVO H**  
VENTILATED FAÇADE SYSTEM

# VENTILATED FAÇADE SYSTEM DESIGNED FOR THE INSTALLATION OF COMPOSITE MATERIALS AND METAL SHEETS



## MAIN ADVANTAGES

Fast, easy and secure installation

Installation of large facade panels

Variable vertical gap - 4-21 mm

Special accessory for noise reduction between horizontal profiles

# BRAVO H

VENTILATED FAÇADE SYSTEM

## DESIGN

DESIGNED ON THE PRINCIPLE OF NATURAL VENTILATION, ACHIEVED THROUGH THE CREATION OF A 4-8 CM ZONE BETWEEN THE FAÇADE MATERIAL AND THE THERMAL INSULATION

## HIGH QUALITY PRODUCT

DEVELOPED TO ENSURE THE SAFE AND EFFICIENT INSTALLATION OF FLAT CLADDING MATERIALS TO THE BUILDING SUBSTRATE

## SECURITY

THE SYSTEM ALLOWS THE MOVEMENT OF THE FAÇADE MATERIAL IN VARIOUS THERMAL EXPANSIONS

1. anchor
2. thermo pad
3. thermal insulation
4. fixing bracket 100/90 mm
5. rivet 4.8x12 mm
6. main supporting profile
7. upper horizontal profile
8. bottom horizontal profile
9. L-profile
10. etalbond (R)
11. plug
12. silicone gasket

## DETAILS

Optimal solution for large and flat façades


High level of sound insulation, water tightness

High energy efficiency

Natural ventilation

Additional reinforcement for the panels with bigger dimensions

Special cladding principle



[etem.com](http://etem.com)